


# Communication Networks

Spring 2019



Laurent Vanbever


[nsg.ee.ethz.ch](http://nsg.ee.ethz.ch)

ETH Zürich

February 18 2019

Materials inspired from Scott Shenker & Jennifer Rexford





North America (ARIN)  
Europe (RIPE)  
Latin America (LACNIC)  
Asia Pacific (APNIC)  
Africa (AFRINIC)  
"Backbone" (highly connected networks)

source: Barrett Lyon/The Opte Project



The Internet

*An exciting* place

18 billion



# 18 billion

estimated\* # of Internet connected devices  
in 2017

\* Cisco Visual Networking Index 2017—2022

**28.5 billion**

estimated\* # of Internet connected devices  
**in 2022**

\* Cisco Visual Networking Index 2017—2022



~4 exabytes

estimated\* **daily** global IP traffic  
in 2017

\* Cisco Visual Networking Index 2017—2022

If



= 1 Gigabyte





**volume(Great Wall of China) = 1 exabyte**



~4 exabytes

estimated\* **daily** global IP traffic  
in 2017

\* Cisco Visual Networking Index 2017—2022



~13 exabytes

estimated\* daily global IP traffic  
in 2022

\* Cisco Visual Networking Index 2017—2022

~75% of all IP traffic

estimated\* percentage of video traffic  
in 2017

\* Cisco Visual Networking Index 2017—2022



Upstream		Downstream		Aggregate	
BitTorrent	18.37%	Netflix	35.15%	Netflix	32.72%
YouTube	13.13%	YouTube	17.53%	YouTube	17.31%
Netflix	10.33%	Amazon Video	4.26%	HTTP - OTHER	4.14%
SSL - OTHER	8.55%	HTTP - OTHER	4.19%	Amazon Video	3.96%
Google Cloud	6.98%	iTunes	2.91%	SSL - OTHER	3.12%
iCloud	5.98%	Hulu	2.68%	BitTorrent	2.85%
HTTP - OTHER	3.70%	SSL - OTHER	2.53%	iTunes	2.67%
Facebook	3.04%	Xbox One Games Download	2.18%	Hulu	2.47%
FaceTime	2.50%	Facebook	1.89%	Xbox One Games Download	2.15%
Skype	1.75%	BitTorrent	1.73%	Facebook	2.01%
	69.32%		74.33%		72.72%



Table 1 - Top 10 Peak Period Applications - North America, Fixed Access

<http://bit.ly/2Glwl8G>

~82% of all IP traffic


estimated\* percentage of video traffic  
in 2022

\* Cisco Visual Networking Index 2017—2022

The Internet

*A tense place*


# Countries get disconnected for political reasons




Also check: <http://research.dyn.com/2012/11/could-it-happen-in-your-countr/>




# Internet traffic to/from Egypt in January 2011





Earlier this morning, the national fiber backbone of Iraq was taken offline in an effort to combat cheating on 6th grade placement exams. It was the fourth such outage in the past five days. 2017 marks the third year Iraq has used government-directed internet blackouts to combat cheating on student exams.


These recent outages are a continuation of a growing (and somewhat puzzling) trend by governments in many developing parts of the world to cut communications services in a desperate attempt to staunch rampant cheating on high-stakes student exams.



<http://dyn.com/blog/iraq-downs-internet-to-combat-cheating-again/>

## Outages and Instabilities

February 01, 2017 - February 06, 2017 Times in UTC




Iraq national backbone down for 1 hour for 4 of the last 5 days.





Nintendo Switch isn't just a console, it's a 127-year saga that began with a deck of cards

Nintendo | 1 hour ago



Halo Wars 2 review: a solidly Spartan sequel to the real-time strategy classic


8/10

Halo | 56 minutes ago




Apple's WWDC 2017 will return to San Jose in June

WWDC | 1 hour ago



This algorithm can spot signs of autism in children a year before they're diagnosed

Autism | 2 hours ago




Humble collection migration

Humble

Internet Freedom

# Governments shut down the internet more than 50 times in 2016

Economic impact alone was £1.9bn, with greater fears over human rights and freedom of speech



<http://www.wired.co.uk/article/over-50-internet-shutdowns-2016>

By MATT KAMEN

Tuesday 3 January 2017





Algeria and Iraq shut down inte

https://www.independent.co.uk/news/world/africa/algeria-iraq-shut-down-internet-students-cheating-exams-facebook-a8410341.html

 INDEPENDENT

M

JOIN US? SUBSCRIBE REGISTER

LOGIN

NEWS POLITICS VOICES FINAL SAY SPORT CULTURE VIDEO INDY/LIFE INDYBEST LONG READS INDY100 VOUCHERS

Q

News > World > Africa

# Algeria and Iraq shut down internet nationwide to stop students cheating in exams

'Shutting down digital communication often disproportionately harms marginalised and vulnerable groups, cripples the local economy, and creates cascades of chaos'

Chris Baynes | Thursday 21 June 2018 22:25 | 180 shares |

f

Like Click to follow The Independent




<https://www.independent.co.uk/news/world/africa/algeria-iraq-shut-down-internet-students-cheating-exams-facebook-a8410341.html>

Russia to disconnect from the internet as part of a planned test

← → ↺ 🏠 🔒 https://www.zdnet.com/article/russia-to-disconnect-from-the-internet-as-part-of-a-planned-test/ 🔍 ☆ ⚙️

# Russia to disconnect from the internet as part of a planned test

Russia's internet contingency plan gets closer to reality.

 By [Catalin Cimpanu](#) for [Zero Day](#) | February 11, 2019 -- 00:33 GMT (00:33 GMT) | Topic: [Government](#)

Recommended Content:


**Resource Center: Create your personalised cloud learning experience**  
Curious about how cloud can help your business? Join the Google Cloud resource hub and unlock the possibilities of the cloud with access to specially curated content just for you. Start now and get ahead on the cloud.

Get Started

33

f

in



In 2017, Russian officials said they plan to route 95% of all internet traffic locally by 2020.

Manage Settings


RECOMMENDED FOR YOU

### ADP RUN Payroll vs. Top Alternatives—Competitive Report


Downloads provided by [Select Hub](#)

DOWNLOAD NOW

MORE FROM CATALIN CIMPANU



Security  
**Google working on new Chrome security feature to 'obliterate DOM XSS'**



Government : US  
**GAO gives Congress go-ahead for a GDPR-like privacy legislation**

https://www.zdnet.com/article/russia-to-disconnect-from-the-internet-as-part-of-a-planned-test/

Some Internet communications  
are interfered against or heavily congested





Can ISPs selectively slow down traffic?



# The U.S. Federal Communications Commission (FCC) set network neutrality rules in 2015

A screenshot of a web browser displaying a New York Times article titled "F.C.C. Sets Net Neutrality Rules". The browser's address bar shows the URL: <https://www.nytimes.com/2015/03/13/technology/fcc-releases-net-neutrality-rules.html>. The article is dated March 12, 2015, and is written by Rebecca R. Ruiz. The main image is a video player showing a hand clicking a computer mouse, with a play button and a progress bar at the bottom. To the right of the video, there is a section titled "RELATED COVERAGE" with two links: "F.C.C. Approves Net Neutrality Rules, Classifying Broadband Internet Service as a Utility" (dated Feb. 26, 2015) and "The Push for Net Neutrality Arose From Lack of Choice" (dated Feb. 25, 2015).

**TECHNOLOGY**

## F.C.C. Sets Net Neutrality Rules

By REBECCA R. RUIZ MARCH 12, 2015

**The New Net Neutrality Rules**  
By NATALIA V. OSIPOVA and CAITLIN PRENTKE

RELATED COVERAGE

- F.C.C. Approves Net Neutrality Rules, Classifying Broadband Internet Service as a Utility FEB. 26, 2015
- NEWS ANALYSIS: The Push for Net Neutrality Arose From Lack of Choice FEB. 25, 2015

WASHINGTON — The [Federal Communications Commission](#) on Thursday released extensive details of how it would regulate broadband Internet providers as a public utility, producing official wording that almost certainly sets the stage for extended legal fights.


The release of the rules had been eagerly anticipated by advocates and lawmakers, as well as broadband and technology companies, since the agency approved new rules for Internet service [two weeks ago](#). The details came in a [313-page document](#) that included the new rules and the legal justifications for them.

The rules revealed how the strict laws would be modified for Internet providers, exempting the companies from the sort of price controls typically

<http://nyti.ms/2kZUnDA>



... which it then repealed in 2017



<http://nyti.ms/2CkTbRR>




**Netflix US** 

@netflix


Follow



We're disappointed in the decision to gut **#NetNeutrality**  protections that ushered in an unprecedented era of innovation, creativity & civic engagement. This is the beginning of a longer legal battle. Netflix stands w/ innovators, large & small, to oppose this misguided FCC order.

10:26 AM - 14 Dec 2017

335,726 Retweets 831,986 Likes



 7.1K  336K  832K


Some Internet communications  
are interfered against or heavily congested



Who should pay the other for Internet connectivity?




# A primer on the conflict between Netflix and Comcast




<https://freedom-to-tinker.com/blog/feamster/why-your-netflix-traffic-is-slow-and-why-the-open-internet-order-wont-necessarily-make-it-faster/>

# Due to congestion, throughput across Cogent to Comcast, Time Warner and Verizon were miserable



<http://bit.ly/1thPzro>

# Situation massively improved after Netflix agreed to paid direct connection to the providers






# Closer to us...



<https://www.nzz.ch/digital/streaming-warum-swisscom-kunden-probleme-mit-netflix-haben-ld.9174>

In February 2018, GitHub was targeted by the (so far) largest DDoS attack...



from a normal  $\sim 0.1$  Tbps to **1.35 Tbps**

# At the same time, countermeasures improve...




The screenshot shows a web browser window with a single tab titled "The world's largest DDoS attack". The address bar displays the URL: <https://techcrunch.com/2018/03/02/the-worlds-largest-ddos-attack-took-github-offline-for-less-than-tens-minutes/>. The TechCrunch logo is in the top left. A sidebar on the left lists categories: Startups, Apps, Gadgets, Events, Videos, Podcasts, Crunchbase, Advertise, and More. Below the sidebar is a search bar and a list of tags: Cybersecurity 101, Fundings & Exits, Amazon, and Transportation. The main article headline is "The world's largest DDoS attack took GitHub offline for fewer than 10 minutes", written by Jon Russell (@jonrussell) 12 months ago. A green 'X' icon is in the top right of the article area. The article features a large image of a hand holding a tablet with a glowing digital interface showing various icons like a cloud, a padlock, a shopping cart, and a dollar sign, set against a background of binary code. The article text begins with: "In a growing sign of the increased sophistication of both cyber attacks and defenses, GitHub has revealed that this week it weathered the largest-known DDoS attack in history." and continues with: "DDoS — or distributed denial of service in full — is a cyber attack that aims to bring websites and web-based services down by bombarding them with so much traffic that their services and infrastructure are unable to handle it all. It's a fairly common tactic used to force targets offline."

**The world's largest DDoS attack took GitHub offline for fewer than 10 minutes**

Jon Russell @jonrussell / 12 months ago

Comment



In a growing sign of the increased sophistication of both cyber attacks and defenses, **GitHub** has revealed that this week it weathered the largest-known DDoS attack in history.

DDoS — or distributed denial of service in full — is a cyber attack that aims to bring websites and web-based services down by bombarding them with so much traffic that their services and infrastructure are unable to handle it all. It's a fairly common tactic used to force targets offline.

<http://tcrn.ch/2tbJmFD>

**TechCrunch:**  
**Robotics+AI 2019**


The Internet

*A fragile* place



Despite being absolutely critical,  
**Internet communications are inherently fragile**

# November 2017




<https://dyn.com/blog/widespread-impact-caused-by-level-3-bgp-route-leak/>

For a little more than 90 minutes [...],

Internet service for millions of users in the U.S.  
and around the world slowed to a crawl.

The cause was yet another BGP routing leak,  
a **router misconfiguration** directing Internet traffic  
from its intended path to somewhere else.

# August 2017



[https://www.theregister.co.uk/2017/08/27/google\\_routing\\_blunder\\_sent\\_japans\\_internet\\_dark/](https://www.theregister.co.uk/2017/08/27/google_routing_blunder_sent_japans_internet_dark/)



Someone in Google fat-thumbbed a  
Border Gateway Protocol (BGP) advertisement  
and sent Japanese Internet traffic into a black hole.

[...] the result of which was traffic from Japanese giants  
like NTT and KDDI was sent to Google  
on the expectation it would be treated as transit.

The outage in Japan **only lasted a couple of hours**,  
but was so severe that [...] the country's  
Internal Affairs and Communications ministries  
want carriers to report on what went wrong.

People also often mistakenly destroy  
their own infrastructure



Traders work on the floor of the New York Stock Exchange (NYSE) in July 2015.  
(Photo by Spencer Platt/Getty Images)

#### DOWNTIME

## UPDATED: "Configuration Issue" Halts Trading on NYSE

*The article has been updated with the time trading resumed.*

*A second update identified the cause of the outage as a "configuration issue."*

*A third update added information about a software update that created the configuration issue.*

NYSE network operators identified the culprit of the 3.5 hour outage, blaming the incident on a “network configuration issue”



JUL 8, 2015 @ 03:36 PM 11,261 VIEWS

# United Airlines Blames Router for Grounded Flights

**Alexandra Talty**, CONTRIBUTOR*I cover personal finance and travel.*[FOLLOW ON FORBES \(110\)](#)

Opinions expressed by Forbes Contributors are their own.

FULL BIO ▾

After a computer problem caused nearly two hours of grounded flights for United Airlines this morning and ongoing delays throughout the day, the airline announced the culprit: a [faulty router](#).

Spokeswoman Jennifer Dohm said that the router problem caused “degraded network connectivity,” which affected various applications.

A computer glitch in the airline’s reservations system caused the Federal Aviation Administration to impose a groundstop at 8:26 a.m. E.T. Planes that were in the air continued to operate, but all planes on the ground were held. There were reports of agents writing tickets by hand. The ground stop was lifted around 9:47 a.m. ET.

<http://bit.ly/2sBJ2jf>

# **The Internet Under Crisis Conditions**

Learning from September 11

Committee on the Internet Under Crisis Conditions:  
Learning from September 11

Computer Science and Telecommunications Board  
Division on Engineering and Physical Sciences

NATIONAL RESEARCH COUNCIL  
OF THE NATIONAL ACADEMIES

# The Internet Under Crisis Conditions

Learning from September 11

Committee on the Internet Under Crisis Conditions:  
Learning from September 11

Computer Science and Telecommunications Board  
Division on Engineering and Physical Sciences

NATIONAL RESEARCH COUNCIL  
OF THE NATIONAL ACADEMIES

Internet advertisements rates  
suggest that

The Internet was **more stable  
than normal on Sept 11**

# The Internet Under Crisis Conditions

Learning from September 11

Committee on the Internet Under Crisis Conditions:  
Learning from September 11

Computer Science and Telecommunications Board  
Division on Engineering and Physical Sciences

NATIONAL RESEARCH COUNCIL  
OF THE NATIONAL ACADEMIES

Internet advertisements rates  
suggest that

The Internet was **more stable**  
**than normal** on Sept 11


Information suggests that  
operators were **watching the news**  
**instead of making changes**  
to their infrastructure



“Human factors are responsible  
for 50% to 80% of network outages”

Juniper Networks, *What's Behind Network Downtime?*, 2008

Ironically, this means that data networks work better during week-ends...



% of route leaks

source: Job Snijders (NTT)

“Cost per network outage  
can be as high as 750 000\$”

Smart Management for Robust Carrier Network Health  
and Reduced TCO!, NANOG54, 2012

# Communication Networks

## **Course goals**




# Knowledge

Understand how the Internet works **and why**



from your  
network plug...



...to Google's data-center

# Insights

## Key concepts and problems in Networking

Naming

Layering

Routing

Reliability

Sharing

Naming   Layering   Routing   Reliability   Sharing

How do you address computers, services, protocols?

Naming   **Layering**   Routing   Reliability   Sharing

How do you **manage complexity**?



Naming    Layering    **Routing**    Reliability    Sharing

How do you **go from A to B?**

Naming   Layering   Routing   **Reliability**   Sharing


How do you **communicate reliably using unreliable mediums?**

Naming   Layering   Routing   Reliability   **Sharing**

How do you **divide scarce resources among competing parties?**

# Insights

## Current research developments




Networked Systems Group

[nsg.ee.ethz.ch](https://nsg.ee.ethz.ch)

# Skills

Build, operate and configure networks



Trinity using a port scanner (nmap) in Matrix Reloaded™



Communication Networks

**Course organization**

# Your dream team for the semester



Tobias [head]



Alexander



Rüdiger



Roland



Edgar



Ahmed



Thomas




Hendrik



Eric

followed the lecture in '18

Our website: <https://comm-net.ethz.ch>  
check it out regularly!



Slides, exercises, projects, extra readings, previous exams, ...

# The course will be split in three parts

Part 1

Overview

~1.5 lectures

Part 2

Concepts


~1.5 lectures

Part 3

Today's Internet


~10 lectures

# Your final grade





# Your final grade



There will be two practical projects,  
to be done in group of maximum three students

- #1 Build and operate a real, working “Internet”
- #2 Implement an interoperable reliable protocol

Detailed instructions will follow

If you are a repeating student,  
let us know if you want to keep your grades!



# “Internet Hackathon”

sometime around week 7-8


2016 edition





# The course follows the textbook

## Computer Networking: a Top-Down Approach




6th edition

ok to use the 5th or 7th

see sections indicated  
on [comm-net.ethz.ch](http://comm-net.ethz.ch)

We'll use **Slack** (a chat client)  
to discuss about the course and assignments



Web, smartphone and desktop clients available



# Using Slack is facultative but very useful nonetheless

Use Slack to

- ask questions
- chat with other students (e.g. your group)
- be informed about course announcements  
(also on our website)

# Register today

> <https://join.slack.com/t/comm-net19/signup>

Register with your @ethz.ch email

Ping us if you prefer using another one

Use your real name

It greatly facilitates our organization...

We will never use Slack to distribute sensitive data

e.g. your project grades



# Communication Networks



List any

technologies, principles, applications...

used after typing in:

> [www.google.ch](http://www.google.ch)

and pressing enter in your browser

# Communication Networks

## Part 1: Overview



- #1           What is a network made of?
- #2           How is it shared?
- #3           How is it organized?
- #4           How does communication happen?
- #5           How do we characterize it?



# Communication Networks

## Part 1: Overview



#1

What is a network made of?


How is it shared?

How is it organized?


How does communication happen?

How do we characterize it?


Networks are composed of three basic components



End-systems send & receive data




End-systems come in a wide-variety





Switches & routers forward data to the destination



# Routers/switches vary in size and usage

Home  
router



~20 cm

0,5 kg

1 Gbps

Internet core  
router

>200cm


700kg

>12 Tbps

(>920 Tbps in  
multi-chassis\*)



\*[https://www.cisco.com/c/en/us/products/collateral/routers/carrier-routing-system/data\\_sheet\\_c78-726136.html](https://www.cisco.com/c/en/us/products/collateral/routers/carrier-routing-system/data_sheet_c78-726136.html)




Cisco Nexus 7k  
Routers @ETHZ

~25      deployed



Next-generation programmable switches  
up to 12.8 Tbps of backplane capacity\*




Barefoot Tofino Wedge 100BF-32X

part of our NSG lab

\* <https://www.barefootnetworks.com/products/brief-tofino-2/>

Links connect end-systems to switches  
and switches to each other






# Links, too, vary in size and usage



Copper


ADSL, RJ-45,...



Optical fibers




Wireless link












Somewhere in Manhattan...


<http://www.petergarritano.com/the-internet.html>

The *Inter*net is a network of networks





## Internet Service Providers



There exists a huge amount of **access technologies**

Ethernet	most common, symmetric
DSL	over phone lines, asymmetric
CATV	via cable TV, shared
Cellular	smart phones
Satellite	remote areas
FTTH	household
Fibers	Internet backbone
Infiniband	High performance computing

# Communication Networks

## Part 1: Overview



What is a network made of?

#2

How is it shared?

How is it organized?

How does communication happen?

How do we characterize it?

So far, we've been discussing what  
the "last mile" of the Internet looks like



What about the rest of the network?

# 3 must-have requirements of a good network topology

## Tolerate failures

several paths between each source and destination

## Possess enough sharing to be feasible & cost-effective

number of links should not be too high

## Provide adequate per-node capacity

number of links should not be too small




Compare these three designs in terms of  
**sharing**, **resiliency**, and **per-node capacity**

design

full-mesh

chain

bus




advantages

disadvantages

Switched networks provide  
**reasonable** and **flexible** compromise

design

switched



advantages


sharing and per-node capacity can be adapted  
to fit the network needs

disadvantages

require smart devices to perform:  
forwarding, routing, **resource allocation**



Links and switches are shared between flows



There exist two approaches to sharing:  
**reservation** and **on-demand**



Reservation



On-demand

principle

reserve the bandwidth  
you need in advance

send data when you need

Both are examples of **statistical multiplexing**

Reservation

On-demand

multiplexing

at the flow-level

at the packet-level

The two approaches are implemented using circuit-switching or packet-switching, respectively

Reservation

On-demand

implem.

circuit-switching

packet-switching



Reservation


On-demand

implem.

circuit-switching


packet-switching

# Circuit switching relies on the Resource Reservation Protocol



- (1) **src** sends a reservation request for 10Mbps to **dst**
- (2) switches “establish a circuit”
- (3) **src** starts sending data
- (4) **src** sends a “teardown circuit” message

# Let's walk through example of data transfer using circuit switching




The efficiency of the transfer depends on how utilized the circuit is once established




This is an example of poor efficiency.


The circuit is mostly idle due to traffic bursts



This is another example of poor efficiency.  
The circuit is used for a short amount of time



Another problem of circuit switching is that it doesn't route around trouble



A is forced to signal a new circuit to restore communication

# Pros and cons of circuit switching

## advantages

predictable performance

simple & fast switching  
once circuit established

## disadvantages

inefficient if traffic is bursty or short

complex circuit setup/teardown  
which adds delays to transfer

requires new circuit upon failure

# What about packet switching?



Reservation

circuit-switching




On-demand

packet-switching



In packet switching,  
data transfer is done using independent packets




Each packet contains a destination (**dst**)


Since packets are sent without global coordination,  
they can “clash” with each other

To absorb transient overload,  
packet switching relies on buffers

To absorb transient overload,  
packet switching relies on buffers



# Packet switching routes around trouble



route recomputed  
on the fly by s2



# Pros and cons of packet switching

## advantages

efficient use of resources

simpler to implement

route around trouble

## disadvantages

unpredictable performance

requires buffer management and  
congestion control

Packet switching beats circuit switching  
with respect to *resiliency* and *efficiency*

Internet  packets

Packet switching will be our focus for the rest of the course

# Communication Networks

## Part 1: Overview



What is a network made of?

How is it shared?


#3

How is it organized?

How does communication happen?


How do we characterize it?

So far, this is our vision of the Internet...







The real Internet is a “tad” more complex



<http://www.opte.org>







# The Internet has a hierarchical structure

Tier-1

international

have no provider

Tier-2

national

provide transit to Tier-3s


have at least one provider

Tier-3

local

do not provide any transit

have at least one provider



# The distribution of networks in Tiers is extremely skewed towards Tier-3s

total ~60,000  
networks

Tier-1  
international

have no provider

~12

Tier-2  
national

provide transit to Tier-3s  
have at least one provider


~1,000s

Tier-3  
local

do not provide any transit  
have at least one provider


85-90%





Some networks have an incentive to connect directly,  
to reduce their bill with their own provider

**This is known as “peering”**



# Interconnecting each network to its neighbors one-by-one is not cost effective

**Physical** costs

of provisioning or renting physical links

**Bandwidth** costs


a lot of links are not necessarily fully utilized

**Human** costs

to manage each connection individually

Internet eXchange Points (IXPs) solve these problems by letting *many* networks connect in one location





# A brief overview of Internet history

The Internet history starts in the late 50's,  
with people willing to communicate differently

Telephone network is *the* communication system  
entirely based on circuit switching

People start to want to use networks for other things  
defense, (not personal) computers, ...

... but knew that circuit-switching will not make it  
too inefficient for bursty loads and not resilient

# From this wish arose three crucial questions

Paul Baran

RAND

How can we design a **more resilient** network?

lead to the invention of packet switching

Len Kleinrock

UCLA

How can we design a **more efficient** network?

(also) lead to the invention of packet switching

Bob Kahn

DARPA


How can we **connect** all these networks together?

lead to the invention of the Internet as we know it


# The 60s saw the creation of packet switching and the **A**dvanced **R**esearch **P**rojects **A**gency **N**etwork




Dezember 1969



Juni 1970



März 1972



~ SATELLITE CIRCUIT  
○ IMP  
□ TIP  
△ PLURIBUS IMP  
(NOTE: THIS MAP DOES NOT SHOW ARPA'S EXPERIMENTAL SATELLITE CONNECTIONS)  
NAMES SHOWN ARE IMP NAMES, NOT (NECESSARILY) HOST NAMES

Juli 1977



# The first message ever exchanged on the Internet was “lo”

Oct. 29 1969

Leonard Kleinrock @UCLA tries  
to log in a Stanford computer

UCLA

We typed the L... Do you see it?

*Yes! We see the L* Stanford

We typed the O... Do you see it?

*Yes! We see the O*

We typed the G. **system crashes**

# The 70s saw the creation of Ethernet, TCP/IP and the e-mail

1971	Network Control Program predecessor of TCP/IP
1972	Email & Telnet
1973	Ethernet
1974	TCP/IP paper by Vint Cerf & Bob Kahn

# In the 80s, TCP/IP went mainstream

1983	NCP to TCP/IP Flag day Domain Name Service (DNS)
1985	NSFNet (TCP/IP) succeeds to ARPANET
198x	Internet meltdowns due to congestion
1986	Van Jacobson saves the Internet (with congestion control)

# The 90s saw the creation of the Web as well as the Internet going commercial

1989 Arpanet is decommissioned

Birth of the Web

Tim Berners Lee (CERN)



Swiss made

1993 Search engines invented (Excite)

1995 NSFNet is decommissioned

1998 Google reinvents search

# The new millennium brings the Web 2.0, focus on user-generated content

1998	IPv6 standardization
2004	Facebook goes online
2006	Google buys YouTube
2007	Netflix starts to stream videos
2007	First iPhone Mobile Internet access



# Fast Internet access everywhere, every device needs an Internet connection

2009



2018

Mining of the Bitcoin genesis block

Fast mobile Internet access: 4G/LTE

Internet of Things (IoT) boom

Cars & refrigerators in the Internet

Only 26% of the Alexa Top 1000  
websites reachable over IPv6

<http://www.worldipv6launch.org/measurements/>


Soon?

Fully encrypted transport protocols

For example QUIC

# Communication Networks

## Part 1: Overview



- #1 What is a network made of?
- #2 How is it shared?
- #3 How is it organized?
- #4 How does communication happen?
- #5 How do we characterize it?

No exercise session

this Thursday

Next Monday on

Communication Networks

Routing concepts