




Communication Networks

Prof. Laurent Vanbever

Exercise 8 - Border Gateway Protocol (BGP)

8.1 Traffic Engineering




ETH is connected to three providers with different costs.

Assume that ETH has only one prefix: 82.130.64.0/21. As depicted on the left, the ETH network is connected to three providers (Swisscom, Deutsche Telekom and Switch) and the providers are interconnected with each other. The contract with Swisscom is the cheapest one (indicated by the dollar symbols). For this reason, ETH wants to receive all the incoming traffic over the Swisscom link and therefore announces its prefix only to Swisscom.

- a) Do you think that is a good configuration? What happens if the link between ETH and Swisscom fails?
- b) To improve the connectivity in case of a link failure between ETH and Swisscom, ETH wants to optimize its announcements. Write down the prefixes which ETH announces to Swisscom, Deutsche Telekom and Switch. During normal operation (no link failure) ETH should still receive all incoming traffic over the Swisscom link.
- c) After further investigations, ETH decides that only traffic towards 82.130.68.0/23 has to be received over the Swisscom link. All the other traffic can enter over any of the providers. Which prefixes do you have to announce to achieve this traffic distribution?

8.2 Not-so-reliable Internet




Which messages are exchanged?

Consider now the same BGP network composed of 5 ASes but assuming customer-provider and peer-to-peer policies. Providers are connected to their customers with a single-headed arrow pointing to their customers (AS 1 is the provider of AS 4), while peers are connected with double-headed arrows (AS 1 and AS 2 are peers).

Assume that AS 2 is the only one to advertise an IPv4 prefix: 82.130.64.0/21 (to *all* its neighbors) and that the Internet has converged. Which BGP messages are exchanged after the following events happen, one after the other:

- a) the link between AS 0 and AS 2 fails (event 1)
- **b)** the link between AS 1 and AS 4 fails (event 2)
- c) the link between AS 1 and AS 2 fails (event 3)

Is the network still connected at the end? If not, list the ASes that cannot reach the prefix anymore.



A simple BGP network not forming an iBGP full-mesh.

Consider the AS above with three border routers (A, B, F) and three internal routers (C, D, E). All three border routers receive a route announcement for the prefix 13.0.0.0/8 from their eBGP neighbors (not depicted), which they distribute internally. The iBGP sessions are depicted by double-headed dashed arrows (e.g., router A and F maintain an iBGP session). All routers follow the standard BGP decision process. The three border routers have next-hop-self configured on all iBGP sessions.

a) For every router, list (*i*) the BGP next-hop, (*ii*) the path taken by the traffic and (*iii*) indicate whether the router's traffic can actually reach the destination. If the next-hop is external, put EXT. If there is no next-hop, put NO.

Router	BGP next-hop	Path taken by the traffic	Reachable?
A	EXT	$A \rightarrow EXT$	Yes
В			
С	NO	$C \rightarrow \emptyset$	No
D			
E			
F			

b) Assume the eBGP session of router A fails and consequently, **the external route of A is not available anymore**. List for every router (*i*) the BGP next-hop, (*ii*) the path taken by the traffic and (*iii*) indicate whether the router's traffic can reach the destination. If the next-hop is external, put EXT. If there is no next-hop, put NO.

Router	BGP next-hop	Path taken by the traffic	Reachable?
A			
В			
С			
D			
E			
F			

c) The network operator reacted and added a new iBGP session between routers B and C. The failure still persists, i.e., the external route of A is not available. List for every router (i) the BGP next-hop, (ii) the path taken by the traffic and (iii) indicate whether the router's traffic can reach the destination. If the next-hop is external, put EXT. If there is no next-hop, put NO.

Router	BGP next-hop	Path taken by the traffic	Reachable?
A			
В			
С			
D			
Е			
F			