
#### **Communication Networks**

Spring 2021






Laurent Vanbever

nsg.ee.ethz.ch

Feb 22 2020

Lecture starts at 10:15

Materials inspired from Scott Shenker & Jennifer Rexford



# The Internet An *exciting* place

### ~22 billion

### ~22 billion

estimated\* # of Internet connected devices in 2020

### ~30 billion

estimated\* # of Internet connected devices in 2023

### ~4 exabytes

estimated\* daily global IP traffic in 2017





### ~4 exabytes

estimated\* daily global IP traffic in 2017

## ~13 exabytes

estimated\* daily global IP traffic in 2022

### ~75% of all Internet traffic

estimated\* percentage of video traffic in 2017

Upstream		Downstream		Aggregate	
BitTorrent	18.37%	Netflix	35.15%	Netflix	32.72%
YouTube	13.13%	YouTube	17.53%	YouTube	17.31%
Netflix	10.33%	Amazon Video	4.26%	HTTP - OTHER	4.14%
SSL - OTHER	8.55%	HTTP - OTHER	4.19%	Amazon Video	3.96%
Google Cloud	6.98%	iTunes	2.91%	SSL - OTHER	3.12%
iCloud	5.98%	Hulu	2.68%	BitTorrent	2.85%
HTTP - OTHER	3.70%	SSL - OTHER	2.53%	iTunes	2.67%
Facebook	3.04%	Xbox One Games Download	2.18%	Hulu	2.47%
FaceTime	2.50%	Facebook	1.89%	Xbox One Games Download	2.15%
Skype	1.75%	BitTorrent	1.73%	Facebook	2.01%
	69.32%		74.33%		72.72%



Table 1 - Top 10 Peak Period Applications - North America, Fixed Access

http://bit.ly/2GlwI8G

### ~82% of all Internet traffic

estimated\* percentage of video traffic in 2022

The Internet

A tense place

# Countries get disconnected for political reasons



Asia | China | India

# Myanmar coup: How the military disrupted the internet

By Christopher Giles BBC Reality Check

(§ 4 February



**Reality Check** 







SECURITY 08.10.2020 06:13 PM

#### Belarus Has Shut Down the Internet Amid a Controversial Election


Human rights organizations have blamed the Belarusian government for widespread outages.






Earlier this morning, the national fiber backbone of Iraq was taken offline in an effort to combat cheating on 6th grade placement exams. It was the <u>fourth such outage</u> in the past five days. 2017 marks the third year Iraq has used government-directed internet blackouts to combat cheating on student exams.

These recent outages are a continuation of a growing (and somewhat puzzling) trend by governments in many developing parts of the world to cut communications services in a desperate attempt to staunch rampant cheating on high-stakes student exams.




http://dyn.com/blog/iraq-downs-internet-to-combat-cheating-again/





https://www.independent.co.uk/news/world/africa/algeria-iraq-shut-down-internet-students-cheating-exams-facebook-a8410341.html



Internet Freedom

### Governments shut down the internet more than 50 times in 2016

Economic impact alone was £1.9bn, with greater fears over human rights and freedom of speech













http://www.wired.co.uk/article/over-50-internet-shutdowns-2016

By MATT KAMEN

Tuesday 3 January 2017



# Some Internet communications are interfered against or heavily congested










Can ISPs selectively slow down traffic?

# The U.S. Federal Communications Commission (FCC) set network neutrality rules in 2015



#### ... which it then repealed in 2017








We're disappointed in the decision to gut #NetNeutrality \*\*\* protections that ushered in an unprecedented era of innovation, creativity & civic engagement. This is the beginning of a longer legal battle. Netflix stands w/ innovators, large & small, to oppose this misguided FCC order.

10:26 AM - 14 Dec 2017

**335,726** Retweets **831,986** Likes





7.1K



832K

#### ... but might bring back in 2021?

#### **Forbes**

Jan 26, 2021, 08:00am EST | 1,001 views

#### Net Neutrality Likely To Return With New FCC Chair



Wayne Rash Contributor ①
Consumer Tech

 $Wayne\ Rash\ is\ a\ technology\ and\ science\ writer\ based\ in\ Washington.$ 



https://www.forbes.com/sites/waynerash/2021/01/26/net-neutrality-likely-to-return-with-new-fcc-chair/

# In Switzerland, network neutrality is enforced by the Swiss Telecommunications Act—since 1/1/21

#### - ☑ Art. 12e<sup>41</sup> Offenes Internet

<sup>1</sup> Die Anbieterinnen von Internetzugängen übertragen Informationen, ohne dabei zwischen Sendern, Empfängern, Inhalten, Diensten, Diensteklassen, Protokollen, Anwendungen, Programmen oder Endgeräten technisch oder wirtschaftlich zu unterscheiden.

- a. eine gesetzliche Vorschrift oder einen Gerichtsentscheid zu befolgen;
- b. die Integrität oder Sicherheit des Netzes, der über dieses Netz erbrachten Dienste oder der angeschlossenen Endgeräte zu gewährleisten;
- c. einer ausdrücklichen Aufforderung der Kundin oder des Kunden nachzukommen; oder
- d. vorübergehende und aussergewöhnliche Netzwerküberlastungen zu bekämpfen; dabei sind gleiche Arten von Datenverkehr gleich zu behandeln.


<sup>&</sup>lt;sup>2</sup> Sie dürfen Informationen unterschiedlich übertragen, wenn dies erforderlich ist, um:

<sup>&</sup>lt;sup>3</sup> Sie dürfen neben dem Zugang zum Internet über denselben Anschluss andere Dienste anbieten, die für bestimmte Inhalte, Anwendungen oder Dienste optimiert sein müssen, um die Qualitätsanforderungen der Kundinnen und Kunden zu erfüllen. Die anderen Dienste dürfen nicht als Ersatz für Internetzugangsdienste nutzbar sein oder angeboten werden, und sie dürfen nicht die Qualität der Internetzugangsdienste verschlechtern.

<sup>&</sup>lt;sup>4</sup> Behandeln sie Informationen bei der Übertragung technisch oder wirtschaftlich unterschiedlich, so müssen sie die Kundinnen und Kunden sowie die Öffentlichkeit darüber informieren.


<sup>&</sup>lt;sup>41</sup> Eingefügt durch Ziff. I des BG vom 22. März 2019, in Kraft seit 1. Jan. 2021 (AS 2020 6159; BBI 2017 6559).

# A primer on the conflict between Netflix and Comcast




https://freedom-to-tinker.com/blog/feamster/why-your-netflix-traffic-is-slow-and-why-the-open-internet-order-wont-necessarily-make-it-faster/

# Due to congestion, throughput across Cogent to Comcast, Time Warner and Verizon were miserable




### Situation massively improved after Netflix agreed to paid direct connection to the providers



**Netflix starts to pay** 


http://arstechnica.com/tech-policy/2014/04/netflix-and-verizon-reach-interconnection-deal-to-speed-up-video/

#### Closer to us...



https://www.nzz.ch/digital/streaming-warum-swisscom-kunden-probleme-mit-netflix-haben-ld.9174

# In February 2018, GitHub was targeted by a 1.35 Tbps Distributed Denial of Service (DDoS) attack



from a normal ~0.1 Tbps to 1.35 Tbps

Source: Akamai

# In June 2020, Amazon was targeted by a 2.30 Tbps DDoS attack (largest to date)



# Amazon 'thwarts largest ever DDoS cyber-attack'

(18 June 2020)







### The Internet

# A vital place during a pandemic

## Following the lockdown in March 2020, (wired) networks saw traffic increasing by 15-20%




https://labs.ripe.net/Members/oliver\_gasser/the-lockdown-effect-implications-of-the-covid-19-pandemic-on-internet-traffic



■ average traffic in bits per second
■ peak traffic in bits per second
Current 6487.8 G
Averaged 4324.7 G
Graph Peak 10385.6 G
DE-CIX All-Time Peak 10385.57
Created at 2021-02-21 10:00 UTC

DE-CIX Att-Time Peak 10385.57 Created at 2021-02-21 10:00 UTC Copyright 2021 DE-CIX Management GmbH

## Unsurprisingly, we see a strong increase in web conferencing, video, and gaming traffic



#### Overall, the Internet performed well in these unpreceeding times

Measuring the Internet 13 May 2020

EN FR ES

### The Internet Is Resilient Enough to Withstand Coronavirus – But There's a Catch



By David Belson Former Senior Director, Internet Research and Analysis 3


Earlier this year, as COVID-19 began to dominate our lives, the world turned to the Internet. This sudden shift to distance learning, working from home, and families sheltering in place drove up online streaming demand, placing additional load on Internet application platforms like Zoom, Netflix, and educational tools such as Kahoot. There was also a dramatic traffic increase across supporting network providers.

[source]

# The Internet A fragile place

Despite being absolutely critical, Internet communications are inherently fragile

#### November 2017




https://dyn.com/blog/widespread-impact-caused-by-level-3-bgp-route-leak/

For a little more than 90 minutes [...],

Internet service for millions of users in the U.S. and around the world slowed to a crawl.

The cause was yet another BGP routing leak, a router misconfiguration directing Internet traffic from its intended path to somewhere else.

#### August 2017



Someone in Google fat-thumbed a Border Gateway Protocol (BGP) advertisement and sent Japanese Internet traffic into a black hole.

[...] the result of which was traffic from Japanese giants like NTT and KDDI was sent to Google on the expectation it would be treated as transit.

The outage in Japan only lasted a couple of hours, but was so severe that [...] the country's Internal Affairs and Communications ministries want carriers to report on what went wrong.

People also often mistakenly destroy their own infrastructure



Traders work on the floor of the New York Stock Exchange (NYSE) in July 2015. (Photo by Spencer Platt/Getty Images)

#### DOWNTIME

### UPDATED: "Configuration Issue" Halts Trading on NYSE

The article has been updated with the time trading resumed.

A second update identified the cause of the outage as a "configuration issue."

A third update added information about a software update that created the configuration issue.


NYSE network operators identified the culprit of the 3.5 hour outage, blaming the incident on a

"network configuration issue"

JUL 8, 2015 @ 03:36 PM

11,261 VIEWS

#### United Airlines Blames Router for Grounded Flights




After a computer problem caused nearly two hours of grounded flights for United Airlines this morning and ongoing delays throughout the day, the airline announced the culprit: a faulty router.

Spokeswoman Jennifer Dohm said that the router problem caused "degraded network connectivity," which affected various applications.

A computer glitch in the airline's reservations system caused the Federal Aviation Administration to impose a groundstop at 8:26 a.m. E.T. Planes that were in the air continued to operate, but all planes on the ground were held. There were reports of agents writing tickets by hand. The ground stop was lifted around 9:47 a.m. ET.




## Planned maintenance work in Swisscom's network shuts down emergency numbers (11.02.2020)



Internet, 4G, TV and telephone network affected as well









 $\textbf{M.} @ \_MyNamelsM\_ \cdot 6m$ 

For anyone in Switzerland that currently cant access **Swisscom** internet change your **DNS** to 8.8.8.8

 $\bigcirc$ 


1 2

 $\sim$ 

 $\triangle$ 

"Human factors are responsible for 50% to 80% of network outages"

Ironically, this means that data networks work better during week-ends...



% of route leaks

source: Job Snijders (NTT)


# Communication Networks Course goals

#### Knowledge

#### Understand how the Internet works and why



from your network plug...



...to mega-scale data-centers

#### **Insights**

Key concepts and problems in Networking

Naming Layering Routing Reliability Sharing

How do you address computers, services, protocols?

How do you manage complexity?


How do you go from A to B?

How do you communicate reliably using unreliable mediums?

How do you divide scarce resources among competing parties?

#### **Insights**

#### Some of our current research works



**Networked Systems Group** 

nsg.ee.ethz.ch

#### Skills

#### Build, operate and configure networks





Trinity using a port scanner (nmap) in Matrix Reloaded™

# Communication Networks Course organization

#### Your dream team for the semester












Rüdiger [head]

Tobias [head]

Coralie


Rai

**Thomas** 



followed the lecture in previous years

## Our website: https://comm-net.ethz.ch check it out regularly!



Slides, exercises, projects, extra readings, and previous exams


#### The course will be split in three parts

Part 1
Part 2
Part 3

Overview
Concepts
Today's Internet

~1.5 lectures
~1.5 lectures
~10 lectures

#### Your final grade




70% 30%

written, open book

continuous performance assessments

#### Your final grade



70% 30%

written, open book

continuous performance assessments

## There will be two practical projects, to be done in group of maximum three students


- #1 Build and operate a real, working "Internet" (20%)
- #2 Implement an interoperable reliable protocol (10%)

Detailed instructions will follow

If you are a repeating student, let us know if you want to keep your grades!

#### The course follows the textbook

### Computer Networking: a Top-Down Approach




6th edition

using another edition is okay but numbering might vary

see sections indicated on comm-net.ethz.ch

# We'll use Slack (a chat client) to discuss about the course and assignments



Web, smartphone and desktop clients available

#### Using Slack is highly recommended

but facultative

#### Use Slack to

- ask questions
- chat with other students (e.g. your group)
- be informed about course announcements (also on our website)

#### Register today

> https://comm-net21.slack.com

Register with your @ethz.ch email

Ping us if you prefer using another one

Use your real name

It greatly facilitates our organization...

We will never use Slack to distribute sensitive data e.g. your project grades



#### Communication Networks

Part 1: Overview



#1 What is a network made of?

#2 How is it shared?

#3 How is it organized?

#4 How does communication happen?

#5 How do we characterize it?

#### Communication Networks

Part 1: Overview



#1 What is a network made of?


How is it shared?

How is it organized?


How does communication happen?

How do we characterize it?


### Networks are composed of three basic components




### End-systems send & receive data



#### End-systems come in a wide-variety



#### Switches & routers forward data to the destination



#### Routers/switches vary in size and usage

Home router



Internet core router

~20 cm

0,5 kg

1 Gbps

>200cm


700kg

>12 Tbps

(>920 Tbps in multi-chassis\*)



<sup>\*</sup>https://www.cisco.com/c/en/us/products/collateral/routers/carrier-routing-system/data\_sheet\_c78-726136.html




Cisco Nexus 7k

Routers @ETHZ

~25 deployed

# Next-generation programmable switches up to 12.8 Tbps of backplane capacity\*




Barefoot Tofino Wedge 100BF-32X

part of our NSG lab

<sup>\*</sup> https://www.barefootnetworks.com/products/brief-tofino-2/

Links connect end-systems to switches and switches to each other



### Links, too, vary in size and usage



Copper


ADSL, RJ-45,...



Optical fibers



Wireless link







http://marine.orange.com/en/Ships-and-submarine-vehicles/Cable-ships/Le-Rene-Descartes



https://www.wired.com/story/google-cramming-more-data-new-atlantic-cable



Somewhere in Manhattan... http://www.petergarritano.com/the-internet.html



https://www.thetimes.co.uk/article/data-cable-security-scandal-its-easier-to-enter-than-a-public-library-gclgb07ss

#### There exists a huge amount of access technologies

Ethernet most common, symmetric

DSL over phone lines, asymmetric

CATV via cable TV, shared

Cellular smart phones

Satellite remote areas

FTTH household

Fibers Internet backbone

Infiniband High performance computing

#### Communication Networks

Part 1: Overview



What is a network made of?

#2 How is it shared?

How is it organized?

How does communication happen?

How do we characterize it?

# 3 must-have requirements of a good network topology


#### Tolerate failures

several paths between each source and destination

Possess enough sharing to be feasible & cost-effective number of links should not be too high

Provide adequate per-node capacity number of links should not be too small

# Compare these three designs in terms of sharing, resiliency, and per-node capacity




advantages

disadvantages

# Switched networks provide reasonable and flexible compromise

design switched




advantages

sharing and per-node capacity can be adapted to fit the network needs

disadvantages

require smart devices to perform: forwarding, routing, resource allocation

#### Links and switches are shared between flows



### There exist two approaches to sharing: reservation and on-demand

Reservation

On-demand

principle

reserve the bandwidth you need in advance

send data when you need

### Both are examples of statistical multiplexing

Reservation

On-demand


multiplexing

at the flow-level

at the packet-level

### Between reservation and on-demand:

### Which one do you pick?




Consider that each source needs 10 Mbps


What do they get with:

- reservation
- on-demand

#### Assume the following peak demand and flow duration



#### Assume the following peak demand and flow duration



What does each source get with reservation and on-demand?

first-come first-served equal (10 Mbps)

#### Peak vs average rates

Each flow has Peak rate P

Average rate A

Reservation must reserve P, but level of utilization is A/P P=100 Mbps, A=10 Mbps, level of utilization=10%

On-demand can usually achieve higher level of utilization depends on degree of sharing and burstiness of flows

#### Ultimately, it depends on the application

Reservation makes sense when P/A is small

voice traffic has a ratio of 3 or so

Reservation wastes capacity when P/A is big

data applications are bursty, ratios >100 are common

Reservation makes sense when P/A is small voice traffic has a ratio of 3 or so

Reservation wastes capacity when P/A is big data applications are bursty, ratios >100 are common

That's why the phone network used reservations ... and why the Internet does not!

## The two approaches are implemented using circuit-switching or packet-switching, respectively

Reservation

On-demand

implem.

circuit-switching

packet-switching

Reservation


On-demand


implem.

circuit-switching

packet-switching

## Circuit switching relies on the Resource Reservation Protocol






- (1) src sends a reservation request for 10Mbps to dst
- (2) switches "establish a circuit"
- (3) src starts sending data
- (4) src sends a "teardown circuit" message

### There exist many kinds of circuits


#### Time-based multiplexing

- divide time in slots
- allocate one slot per circuit




#### Frequency-based multiplexing

- divide spectrum in frequency bands
- allocate one band per circuit




## Let's walk through example of data transfer using circuit switching



The efficiency of the transfer depends on how utilized the circuit is once established


### This is an example of poor efficiency.

### The circuit is mostly idle due to traffic bursts




### This is another example of poor efficiency.

#### The circuit is used for a short amount of time



## Another problem of circuit switching is that it doesn't route around trouble



A is forced to signal a new circuit to restore communication

### Pros and cons of circuit switching

advantages

disadvantages

predictable performance

inefficient if traffic is bursty or short

simple & fast switching

once circuit established

complex circuit setup/teardown

which adds delays to transfer

requires new circuit upon failure

### What about packet switching?


Reservation

On-demand

circuit-switching

packet-switching

In packet switching, data transfer is done using independent packets




Each packet contains a destination (dst)


Since packets are sent without global coordination, they can "clash" with each other

To absorb transient overload, packet switching relies on buffers

## To absorb transient overload, packet switching relies on buffers



### Packet switching routes around trouble



route recomputed on the fly by s2

### Pros and cons of packet switching

advantages

disadvantages

efficient use of resources

unpredictable performance

simpler to implement

requires buffer management and

congestion control

route around trouble

Packet switching beats circuit switching with respect to *resiliency* and *efficiency* 



Packet switching will be our focus for the rest of the course

### Communication Networks

Part 1: Overview



What is a network made of?


How is it shared?

#3 How is it organized?


How does communication happen?

How do we characterize it?


### The *Inter* net is a network of networks




#### Internet Service Providers





So far, this is our vision of the Internet...



### The real Internet is a "tad" more complex







#### The Internet has a hierarchical structure

Tier-1

have no provider

international

Tier-2

provide transit to Tier-3s

national


have at least one provider

Tier-3

do not provide any transit


local

have at least one provider




## The distribution of networks in Tiers is extremely skewed towards Tier-3s

	total	~70,000 networks
Tier-1 international	have no provider	~12
Tier-2 national	provide transit to Tier-3s have at least one provider	~1,000s
Tier-3 local	do not provide any transit have at least one provider	85-90%



Some networks have an incentive to connect directly, to reduce their bill with their own provider

This is known as "peering"



## Interconnecting each network to its neighbors one-by-one is not cost effective

#### **Physical** costs

of provisioning or renting physical links


#### **Bandwidth** costs

a lot of links are not necessarily fully utilized

#### **Human** costs

to manage each connection individually

Internet eXchange Points (IXPs) solve these problems by letting *many* networks connect in one location



A brief overview of Internet history

## The Internet history starts in the late 50's, with people willing to communicate differently

Telephone network is *the* communication system entirely based on circuit switching

People start to want to use networks for other things defense, (not personal) computers, ...

... but knew that circuit-switching will not make it too inefficient for bursty loads and not resilient

#### From this wish arose three crucial questions

Paul Baran

RAND

How can we design a more resilient network?

lead to the invention of packet switching

Len Kleinrock

**UCLA** 

How can we design a more efficient network?

(also) lead to the invention of packet switching


Bob Kahn

**DARPA** 

How can we connect all these networks together?

lead to the invention of the Internet as we know it

## The 60s saw the creation of packet switching and the Advanced Research Projects Agency Network



### The first message ever exchanged on the Internet was "lo"

Oct. 29 1969

Leonard Kleinrock @UCLA tries to log in a Stanford computer

UCLA

We typed the L... Do you see it?

Yes! We see the L

Stanford

We typed the O... Do you see it?

Yes! We see the O

We typed the G. system crashes

## The 70s saw the creation of Ethernet, TCP/IP and the e-mail

1971 Network Control Program

predecessor of TCP/IP

1972 Email & Telnet

1973 Ethernet

1974 TCP/IP

paper by Vint Cerf & Bob Kahn

### In the 80s, TCP/IP went mainstream

1983	NCP to TCP/IP Flag day
------	------------------------

Domain Name Service (DNS)

1985 NSFNet (TCP/IP) succeeds to ARPANET

198x Internet meltdowns due to congestion

1986 Van Jacobson saves the Internet

(with congestion control)

## The 90s saw the creation of the Web as well as the Internet going commercial

1989 Arpanet is decommissioned

Birth of the Web

Tim Berners Lee (CERN)



1993 Search engines invented (Excite)

1995 NSFNet is decommissioned

1998 Google reinvents search

## The new millennium brings the Web 2.0, focus on user-generated content

n
)

Facebook goes online


2006 Google buys YouTube

Netflix starts to stream videos

First iPhone

Mobile Internet access


## Fast Internet access everywhere, every device needs an Internet connection



For example QUIC

### Communication Networks

Part 1: Overview



#1 What is a network made of?

#2 How is it shared?

#3 How is it organized?

#4 How does communication happen?

#5 How do we characterize it?

# No exercise session this Thursday

Next Monday on

Communication Networks

Routing concepts